

4.4. Raumgruppen (Forts.)

Auszug aus den Internationalen Tabellen

				Cmca	D _{2h} ¹⁸
Orthorhombic	mmm	C 2/m 2/c 2 ₁ /a	No. 64		
		Origin at centre (2/m)			
Number of positions, Wyckoff notation, and point symmetry		Co-ordinates of equivalent positions		Conditions limiting possible reflections	
16 g	1	(0,0,0; $\frac{1}{2}, \frac{1}{2}, 0$) + x, y, z; x, \bar{y} , \bar{z} ; x, $\frac{1}{2} - y, \frac{1}{2} + z$; x, $\frac{1}{2} + y, \frac{1}{2} - z$; \bar{x} , \bar{y} , \bar{z} ; \bar{x} , y, z; \bar{x} , $\frac{1}{2} + y, \frac{1}{2} - z$; \bar{x} , $\frac{1}{2} - y, \frac{1}{2} + z$.		hkl: h+k=2n 0kl: (k=2n) h0l: l=2n; (h=2n) hk0: h=2n; (k=2n) h00: (h=2n) 0k0: (k=2n) 00l: (l=2n)	
8 f	m	0, y, z; 0, \bar{y} , \bar{z} ; $\frac{1}{2}, y, \frac{1}{2} - z$; $\frac{1}{2}, \bar{y}, \frac{1}{2} + z$.		Special: as above, plus no extra conditions	
8 e	2	$\frac{1}{4}, y, \frac{1}{4}; \frac{3}{4}, \bar{y}, \frac{3}{4}; \frac{3}{4}, y, \frac{1}{4}; \frac{1}{4}, \bar{y}, \frac{3}{4}$.		hkl: h=2n; (k=2n)	
8 d	2	x, 0, 0; \bar{x} , 0, 0, x, $\frac{1}{2}, \frac{1}{2}$; $\bar{x}, \frac{1}{2}, \frac{1}{2}$.		hkl: k+l=2n; (l+h=2n)	
8 c	$\bar{1}$	$\frac{1}{4}, \frac{1}{4}, 0; \frac{1}{4}, \frac{3}{4}, 0; \frac{1}{4}, \frac{1}{4}, \frac{1}{2}; \frac{1}{4}, \frac{3}{4}, \frac{1}{2}$.		hkl: h,l=2n; (k=2n)	
4 b	2/m	$\frac{1}{2}, 0, 0; \frac{1}{2}, \frac{1}{2}, \frac{1}{2}$			
4 a	2/m	0, 0, 0; 0, $\frac{1}{2}, \frac{1}{2}$.			
Symmetry of special projections					
(001) pmm; a'=a/2, b'=b/2		(100) pgm; b'=b/2, c'=c		(010) pmm; c'=c/2, a'=a/2	

Beispiel: I₂ (Cmca, a=7.255 Å, b=4.795 Å, c=9.780 Å, I:0, 0.150,0.117)

